



Technical Report: (8514)169-0760(Revision)





ATTN:
 BRANDIE BOWERS
 SCENTCO, INC
 8640 ARGENT STREET
 SANTEE, CA 92071
 UNITED STATES

LAB REPORT# (8514)169-0760(Revision)

VENDOR: SCENTCO, INC
VENDOR #: /
FACTORY: HANG KEI STATIONERY MFG.
FACTORY #: 3490

DATE IN: JUNE 18, 2014
MODIFIED DATE IN: JULY 01, 2014
DATE OUT: JULY 08, 2014
PAGE: 2 OF 17

	(*) OVERALL RATING
	APPROVED <u> X </u>
	REJECTED _____
	DATA _____

<input type="checkbox"/> Catherines	<input checked="" type="checkbox"/> Justice	<input type="checkbox"/> Brothers	<input type="checkbox"/> Lane Bryant	<input type="checkbox"/> Lane Bryant Outlet	<input type="checkbox"/> Maurices	<input type="checkbox"/> Dressbarn
<input type="checkbox"/> Battery Operated Product (Non-Toy)	<input type="checkbox"/> Electrical Product (Non-Toy)					
<input type="checkbox"/> Chair	<input type="checkbox"/> Toy					
<input checked="" type="checkbox"/> Children's Product	<input type="checkbox"/> Jewelry and Hair Accessories					
<input type="checkbox"/> Cosmetics	<input type="checkbox"/> Sunglasses / Glasses					
<input type="checkbox"/> Retest	<input type="checkbox"/> Watch					
<input type="checkbox"/> Data	<input type="checkbox"/> Lunchbox /Tote / Cooler /Water bottle					

Certification Test: <input type="checkbox"/> YES (unchecked = NO)	<input type="checkbox"/> Periodic Test (unchecked = NO) <i>*if yes, Certification Testing Previous Report #'s must be provided.</i>	<input type="checkbox"/> Certification Testing Previous Report Number (s) #:
---	--	---

Style #:	219416
Description:	GLITTER GEL SMENS
Country of Origin:	CHINA
Department:	021
Color(s):	MULTI
Number of Samples Submitted:	10
P.O.#	66412
Previous Report(s) #	85141280034
Season/Year:	/

Testing Conducted: TWEEN BRAND TOY

	YES	NO
Was The Sample Collected by BV Inspector (received with BV inspections tape, attach photo)		X



(*) TEST	APP	DATA	REJ	N/A*	N/T*
Labeling					
Tracking labels in children's products					X
Labeling (other)					X
Analytical					
Total lead content in surface coatings					
Total lead content in substrate materials	X				
Phthalates content					
Cadmium in surface coating					
Total cadmium in substrate materials					
Mechanical Properties					
Mechanical hazards					X
Flammability					X
Other Tests (list all other protocol or additional tests below)					
16 CFR 1500.3 Toxicity (w/sensitizer)claim – doc	X				
CCPSA Toxicological risk assessment - doc	X				
ASTM F963-11 labeling				X	

*N/A-Not Applicable, N/T-Not Tested

REMARKS

- At the request of client, test(s) was conducted on the certain component(s) of the submitted samples(s) / submitted component(s)
- TESTED AGE: FOR CAN = FROM 7 TO 14 YEARS OF AGE, FOR US = CHILDREN PRODUCTS, FROM 7 TO 14 YEARS OF AGE

(*) Comment:

Reason for Revision: Add children's products protocol.

BUREAU VERITAS SHENZHEN CO., LTD.

Wendy Cha
 Manager
 Toys And Juvenile Products Department

WC/lt



RESULTS:

TOTAL LEAD CONTENT IN SUBSTRATE (100PPM) (Consumer Product Safety Improvement Act (CPSIA) of 2008)

Test Method: U.S. CPSC-CH-E1001-08.1 (June 21, 2010) or U.S. CPSC-CH-E1002-08.1 (June 21, 2010).

Analyte	Lead	
Requirement: Maximum allowable limit:	100 mg/kg	

Analyte			Lead (Pb)	Conclusion
Sample Description			Result	
Color / Component	Location	Style	(mg/kg)	
(A) Flat silvery metal	Tip		33	Pass

LT = Less Than

mg/kg = milligrams per kilogram (ppm = parts per million)

* = Average of duplicate analyses



BV Lab Number: (8514)169-0760(Revision)
 Technician Name: /
 Test Date: July 08, 2014
 Reviewed By/Date: /
 Page 5 of 17

Evaluation	Test Method	Requirement	Result
LABELING			
Tracking labels for children's products	Consumer Product Safety Improvement Act 2008 - Public Law 110-314 (HR4040) Section 103	Permanent and distinguishing mark or code on the product and its packaging, to the extent practicable, allows the manufacturer and purchaser to ascertain the name of the manufacturer or private labeler, location and date of production of the product. Report as DATA only and include photo of tracking label in report.	NT
UPLR/FPLA/ Consumer packing and labeling act and regulations	NIST handbook 130 part IV A Section 3, 5 & 6 16 CFR 500.4 / 16 CFR 500.5 / 16 CFR 500/ Consumer packaging and labeling act and regulations C.R.C.,c.417 section 6	[Packaging and Labeling Evaluation] per Tween Brands specification <ul style="list-style-type: none"> Shall be labeled with product identification in English, if a picture or product cannot be seen Shall be labeled distributor's name and address as follows: (Address does not need to be verified by the lab) Distr. by/par Tween Brands New Albany, OH 43054 Toronto, ON L6T 3R5 Net quantity of contents shall be present on the front of the package and be expressed in terms of weight or mass, measure, numerical count, or combination so as to give accurate information to facilitate consumer comparison (English and metric units). Rate As Data	NT
Country of origin marking	Country of Origin 19 CFR 134.11 Marking of imported goods order, C.R.C., c. 535 Canada Customs Tariff, Marking of Imported Goods Regulations, SOR-94-10	[Packaging and Labeling Evaluation] per Tween Brands specification <ul style="list-style-type: none"> Shall be marked with the country of origin when imported into the U.S. in a conspicuous place to indicate to the ultimate purchaser in the U.S., the English name of the country of origin. All individually packaged items shall contain the country of origin All items shipped in bulk or displayed in bulk must contain the country of origin If at the point of sale, the packaging conceals the declaration on the product, then the packaging shall also be labeled with a declaration. The declaration shall consist of distributor's name and address as follows: (Address does not need to be verified by the lab) Distr. by/par Tween Brands New Albany, OH 43054 Toronto, ON L6T 3R5 Made in <u>(English)</u> / Fabrique or Fab. en <u>(French)</u> . The minimum font type height shall be 1.6 mm as measured with reference to the lower case "o" English or French. Rate As Data	NT
Parts Labeling	Visual	[Packaging and Labeling Evaluation] Shall match the actual content if present	NT



**BUREAU
VERITAS**

BV Lab Number: (8514)169-0760(Revision)
 Technician Name: /
 Test Date: July 08, 2014
 Reviewed By/Date: /
 Page 6 of 17

Evaluation	Test Method	Requirement	Result
Instructions	Visual	[Packaging and Labeling Evaluation] Shall be legible and easy to understand; instructions shall be consistent with sample performance	NT
Age Grading	CPSC Age Determination Guidelines / 16 CFR Part 1200	All products shall be tested according to either the appropriate age grade or the labeled age grade if it is more stringent. In the event the sample is not age labeled, the laboratory will determine the appropriate age grade and test accordingly	NT
Stuffed Toy Labeling	PA / MA / OH Stuffed Toy Law	Stuffed toys shall have a tab or label securely affixed which contains the following. For packaged goods, must be visible without opening package. <ul style="list-style-type: none"> • A statement that "All New Material" was used • Type of material • The assigned state registration number (Pennsylvania at a minimum) The name and principal place of business (city and state) of the manufacturer or vendor	NT
Ontario Upholstered & stuffed items law labeling Quebec stuffed articles regulations labeling Manitoba Upholstered, stuffed items law labeling	Technical Standard and Safety Act, 2000 - Ontario Regulation 218/01 - Quebec Regulation Respecting Stuffing and Upholstered and Stuffed Articles The Public Health Act of Manitoba, C.C.S.M. c. P210 - Bedding, Upholstered and Stuffed Articles Regulation	Toys shall have a label in the required format, securely affixed in a conspicuous location to the stuffed article. Labels must be made of a white durable fabric with black printing and shall address the following: <ul style="list-style-type: none"> • Statement that "New Material Only" was used • Type of filling by generic name • Assigned registration number from province where initial registration obtained For packaged goods, must be visible without opening package.	NT



**BUREAU
VERITAS**

BV Lab Number: (8514)169-0760(Revision)
 Technician Name: /
 Test Date: July 08, 2014
 Reviewed By/Date: /
 Page 7 of 17

Evaluation	Test Method	Requirement	Result
ASTM F963 Labeling	ASTM F963-11 sections 4 - 7	<p>Shall have special labeling for specific features such as but not limited to:</p> <ul style="list-style-type: none"> • Aquatic Toys • Crib And Playpen Toys • Mobiles • Strollers And Carriages • Toys Intended To Be Assembled By An Adult • Simulated Protective Devices • Toys With Functional Sharp Edges And Sharp Points • Small Objects, Small Balls, Marbles and Balloons • Toy Caps • Art Materials • Electric Toys • Battery-Operated Toys • Battery-Powered Ride On Toys • Toys In Contact With Food • Magnets <p>Packaging, literature accompanying toys, and point-of-sale presentations shall not use words, statements, or graphic material that are inconsistent in any way with the safety labeling instructions for use assembly or age grading of the toy.</p> <p>Information and instructions provided for the safe use or assembly of a toy shall be easy to read and understand by persons of the age level for whom the toy is intended. Shall be in the English language at a minimum.</p> <p>Either a principal component of a toy or the packaging of a toy shall be marked with the name and address of the producer or the distributor.</p>	NA
ANALYTICAL			



**BUREAU
VERITAS**

BV Lab Number: (8514)169-0760(Revision)
 Technician Name: /
 Test Date: July 08, 2014
 Reviewed By/Date: /
 Page 8 of 17

Evaluation	Test Method	Requirement	Result
*Total heavy metal contents in surface coatings	ASTM F963-11 section 4.3.5.1 (2) and 8.3.1	<p>All accessible surface coating, before and after use and abuse testing, shall not contain compounds of which the metal content of the total content exceeds the levels by weight (mg/kg) of the contained solid including pigments, film solids and driers [Antimony (Sb) 60, Arsenic (As) 25, Barium (Ba) 1000, Cadmium (Cd) 75, Chromium (Cr) 60, Lead (Pb) 90, Mercury (Hg) 60, Selenium (Se) 500]</p> <p>Report actual results or include data table within report.</p> <p>Component testing is allowed.</p> <p>Compositing up to 3 colors is allowed.</p> <p>Based on the standard, will composite up to 3 colors. If any color in the composite exceeds 80% of the limit based on the lowest weight component, soluble heavy metal content test with individual colors will be analyzed.</p> <p>As a Tween Brand's requirement, expand the scope to cover children product of age 15 and under</p>	NT
*Soluble heavy metal contents in surface coatings	ASTM F963-11 section 4.3.5.1 (2) and 8.3.2	<p>All accessible surface coating, before and after use and abuse testing, shall not contain compounds of which the metal content of the soluble material exceeds the levels by weight (mg/kg) of the contained solid including pigments, film solids and driers [Antimony (Sb) 60, Arsenic (As) 25, Barium (Ba) 1000, Cadmium (Cd) 75, Chromium (Cr) 60, Lead (Pb) 90, Mercury (Hg) 60, Selenium (Se) 500] Coating materials that contain less than the total limit of [Antimony (Sb) 60, Arsenic (As) 25, Barium (Ba) 1000, Cadmium (Cd) 75, Chromium (Cr) 60, Lead (Pb) 90, Mercury (Hg) 60, Selenium (Se) 500] do not need to be tested for the soluble content.</p> <p>Report actual results or include data table within report.</p> <p>Component testing is allowed.</p> <p>Compositing is not allowed.</p> <p>As a Tween Brand's requirement, expand the scope to cover children product of age 15 and under</p>	NT



**BUREAU
VERITAS**

BV Lab Number: (8514)169-0760(Revision)
 Technician Name: /
 Test Date: July 08, 2014
 Reviewed By/Date: /
 Page 9 of 17

Evaluation	Test Method	Requirement	Result
*Total heavy metal contents in substrate	ASTM F963-11 section 4.3.5.2 (2) (b) and 8.3.1	<p>All accessible substrates, before and after use and abuse testing, shall have total heavy metals content comply with the limits specified in Table 1 of the standard. [Antimony (Sb) 60 mg/kg, Arsenic (As) 25 mg/kg, Barium (Ba) 1000 mg/kg, Cadmium (Cd) 75 mg/kg, Chromium (Cr) 60 mg/kg, Lead (Pb) 90 mg/kg, Mercury (Hg) 60 mg/kg, Selenium (Se) 500 mg/kg]</p> <p>Report actual results or include data table within report.</p> <p>Component testing is allowed.</p> <p>Compositing up to 3 like materials is allowed except metal.</p> <p>Based on the standard, will composite up to 3 like materials except metal. If any materials in the composite exceeds 80% of the limit based on the lowest weight component, soluble heavy metal content test with individual materials will be analyzed.</p> <p>As a Tween Brand's requirement, expand the scope to cover children product of age 15 and under</p>	NT
*Soluble heavy metal contents in substrate	ASTM F963-11 section 4.3.5.2 (2) (b) and 8.3.5	<p>All accessible substrates, before and after use and abuse testing, shall have soluble heavy metals content comply with the limits specified in Table 1 of the standard. [Antimony (Sb) 60 mg/kg, Arsenic (As) 25 mg/kg, Barium(Ba) 1000 mg/kg, Cadmium (Cd) 75 mg/kg, Chromium (Cr) 60 mg/kg, Lead (Pb) 90 mg/kg, Mercury (Hg) 60 mg/kg, Selenium (Se) 500 mg/kg]</p> <p>Substrates that contain less than the total limit of [Antimony (Sb) 60 mg/kg, Arsenic (As) 25 mg/kg, Barium (Ba) 1000 mg/kg, Cadmium (Cd) 75 mg/kg, Chromium (Cr) 60 mg/kg, Lead (Pb) 90 mg/kg, Mercury (Hg) 60 mg/kg, Selenium (Se) 500 mg/kg] do not need to be tested for the soluble content.</p> <p>Report actual results or include data table within report.</p> <p>Component testing is allowed.</p> <p>Compositing is not allowed.</p> <p>As a Tween Brand's requirement, expand the scope to cover children product of age 15 and under</p>	NT
*Extractable cadmium content in metal	ASTM F963-11, section 4.3.5.2 (2) (c) and 8.3.5.5 (3)	<p>All accessible metal component of toy, that is a small part, before and after use and abuse testing, shall not contain more than 200 micrograms of cadmium per component.</p> <p>Report actual results or include data table within report.</p> <p>Component testing is allowed.</p> <p>Compositing is not allowed.</p> <p>As a Tween Brand's requirement, expand the scope to cover children product of age 15 and under</p>	NT



**BUREAU
VERITAS**

BV Lab Number: (8514)169-0760(Revision)
 Technician Name: /
 Test Date: July 08, 2014
 Reviewed By/Date: /
 Page 10 of 17

Evaluation	Test Method	Requirement	Result
*Heavy metals content in surface coatings	Canada Consumer Product Safety Act (S.C. 2010 c. 21) Toy Regulations (SOR/2011-17) Lead & mercury: Acid digestion ICP or AAS Leachable heavy metals: C03	All accessible surface coatings in the as received state on toys that is intended for use by a child in learning or play shall comply with the following requirements: (a) Shall not contain lead or lead components in which the lead content is in excess of 0.0090% (90ppm) of the weight of the total content. (b) Shall not have soluble antimony, arsenic, cadmium, selenium or barium in excess of 0.1% (1000ppm) (a) Shall not contain any mercury or mercury components (10mg/kg) In case of insufficient coating for testing found on number of samples specified in the protocol, vendor needs to provide additional up to 12 pieces of samples. If it is still insufficient, report as Negligible. Report actual results or include data table within report. Component testing is allowed. Composite up to 3 colors are allowed. For requirement (a), if any color in the composite exceeds 80% of the limit, based on the lowest weight component, individual colors will be analyzed.	NT
*Total lead content in surface coatings	Consumer Product Safety Improvement Act of 2008 / 16 CFR 1303 / AOAC 974.01 (modified) / Cite 16 CFR 1500. - 1501	All accessible surface coatings, before and after use and abuse testing, shall not contain lead or lead components in which the lead content is in excess of 0.009% (90ppm) of the weight of the total content. <ul style="list-style-type: none"> • Component testing is not allowed. (Only finished product is allowed). • Composite testing is only allowed if there is still not enough to complete testing on individual colors, compositing is allowed for up to 3 colors. Based on CPSC SOP, will composite up to 3 colors. If any color in the composite exceeds 80% of the limit (72 ppm), based on the lowest weight component, individual colors will be analyzed.	NT
*Total lead content in substrate materials	Consumer Product Safety Improvement Act of 2008 / EPA 3050B (modified) / EPA 3051 (modified)/ EPA 3052 (modified) / CPSC-CH-E1001-08 / CPSC-CH-E1002-08	All accessible substrates, before and after use and abuse testing, shall not contain lead in excess of 0.01% (100ppm) of the weight of the total content. <ul style="list-style-type: none"> • Component testing is not allowed. (Only finished product is allowed). • Compositing is not allowed 	M
*Modeling Clay	CHPA R.S., c. H-3, Schedule I, Part I, Item 28 Canada Consumer Product Safety Act (S.C. 2010, c. 21), Toys Regulations (SOR/2011-17)	Shall not contain actinolite, amostie, anthophyllite, chrysolite, crocidolite, cummingtonite, tremolite or any other type of asbestos. It is the vendor's responsibility for the conformity of this requirement.	NT



**BUREAU
VERITAS**

BV Lab Number: (8514)169-0760(Revision)
 Technician Name: /
 Test Date: July 08, 2014
 Reviewed By/Date: /
 Page 11 of 17

Evaluation	Test Method	Requirement	Result
Canada Guidelines for lead-art materials	Health Canada	Shall comply with requirement for lead content of no greater than 0.0075% weight/weight for crayons, modeling clay and children's water paints.	NT
LHAMA Evaluation - doc review	16 CFR 1500.14(b)(8) / ASTM D4236-94 (R 2011)	Samples shall meet the requirements intended to minimize the potential risks associated with the use of art materials that present chronic, long-term health hazards (ASTM D4236/LHAMA). In lieu of testing, test report can be submitted if dated within five years.	NT
*BBP / DBP / DEHP content DnOP / DINP / DIDP content	Consumer Product Safety Improvement Act of 2008 / CPSC-CH-C1001-09.1 /	Children's toys (products designed, manufactured or marketed for play) and childcare articles in the as received state shall not contain concentrations of more than 0.1% BBP, DBP or DEHP, individually. Children's toys (products designed, manufactured or marketed for play) or childcare articles that can be placed in the mouth in the as received state shall not contain concentrations of more than 0.1% DINP, DIDP or DnOP, individually.	NT
*Phthalates content – DEHP, DINP, DBP, BBP, DNOP and DIDP (Applicable to vinyl toys and childcare articles)	With reference to CPSC-CH-C1001-09.3	SOR/2010-298 Phthalates Regulation/ SOR/ 2011-17 Toy Regulation ≤ 0.1 % DEHP, DBP or BBP (toy or childcare article) ≤ 0.1 % DINP, DIDP or DnOP (toy or childcare article can be place in the mouth of a child under 4 years of age.	NT
PA Stuffed Toy Law (47.317) Tolerance - doc review	ASTM F963-11 section 4.3.7 modified /	Loose fillers shall be visually evaluated for objectionable matter and labels shall be evaluated accordingly. Shall meet the requirements of the "Tolerances of the Commonwealth of Pennsylvania Regulation for Stuffed Toys". In lieu of testing, test report can be submitted if dated within one year.	NT
*Total plate count & total coliform	ASTM F963-11 section 4.3.6.1 / Bacteriological Analytical Manual (BAM)	Pure water used in filling of toys shall meet the requirements of < 100 CFU/ml of total plate count and < 1 CFU/100ml of total Coliform.	NT
16 CFR 1500.3 Toxicological risk assessment- doc review	16 CFR 1500.3(b)(5) and 1500.3(b)(7)-(9)	Pure water used in filling of toys shall meet the requirements of < 100 CFU/ml of total plate count and < 1 CFU/100ml of total Coliform.	NT
16 CFR 1500.231 Hazardous liquid (GC scan) - doc	16 CFR 1500.231	To identify the presence of potentially hazardous ingredients, all liquid filled items intended or likely to be used by children shall comply with this requirement. In lieu of testing, test report can be submitted if dated within one year.	NT



**BUREAU
VERITAS**

BV Lab Number: (8514)169-0760(Revision)
 Technician Name: /
 Test Date: July 08, 2014
 Reviewed By/Date: /
 Page 12 of 17

Evaluation	Test Method	Requirement	Result
Toys Regulations -specific toxic substances	Section 22 Toys Regulations SOR/2011-17 of Canada Consumer Product Safety Act (CCPSA)	<p>Shall NOT contain any of the following substances if it can, under reasonably foreseeable circumstances, become accessible to a child or where the substance is a filling that may be released on breakage or leakage:</p> <p>(a) carbon tetrachloride or any substance containing carbon tetrachloride, (b) methyl alcohol or any substance containing more than 1 per cent weight to volume of methyl alcohol, (c) petroleum distillates or any substance containing more than 10 per cent weight to volume of petroleum distillates, (d) benzene, (e) turpentine or any substance containing more than 10 per cent weight to volume turpentine, (f) boric acid or salts of boric acid, or (g) ethyl ether</p> <p>In lieu of testing, test report can be submitted if dated within one year.</p>	NT
USP 61 Microbial limit test - doc review Total plate count USP 61 - doc review for art materials	ASTM F963-11 section 4.3.6.3 and 8.4.1 / USP 31<61>	<p>Cosmetics, Liquids, Pastes, Putties, Gels and Powders used in toys (excluding art materials) shall not be contaminated with Salmonella, E. Coli, Pseudomonas aeruginosa, or Staphylococcus aureus and be subject to requirements of < 5,000 CFU/ml (< 500 CFU/ml for cosmetics intended for use with the eyes and baby products) for total viable count (total plate count + yeast & mold count) as intended to minimize risk associated with lack of cleanliness, shelf life and contamination. In lieu of testing, test report can be submitted if dated within one year.</p> <p>In order to ensure the integrity of the received test report, actual testing on total plate count would be conducted with the requirements of < 5,000 CFU/ml (< 500 CFU/ml for cosmetics intended for use with the eyes and baby products)</p>	NT
USP 51 Preservative effectiveness - doc review	ASTM F963-11 section 4.3.6.3 and 8.4.2 / USP 35<51>	Formulations used to prevent microbial degradation in Cosmetics, Liquids, Pastes, Putties, Gels and Powders used in toys (excluding art materials) shall be tested for microbial control and preservative effectiveness. In lieu of testing, test report can be submitted if dated within five years.	NT
*Mercury Content Applicable to Batteries	Mercury-Containing and Rechargeable Battery Management Act U.S. Pub. L. 104-142 Title II / CPSD-AN-00078-MTHD	US Mercury-Containing Battery Management Act Public Law No 104-142 (1996) For alkaline manganese button cell: 25 mg/cell For battery except alkaline manganese button cell: Absent	NT
*Mercury Content Applicable to Button cells	Connecticut – CGS Section 22a-616 (e) / Maine – Title 38 Section 1661-C (9) / Rhode Island – Title 23 Chapter 23-24.9-6 / Ohio – ORC 3734.64 / CPSD-AN-00078-MTHD	Various US State Laws (Connecticut, Maine, and Rhode Island) Prohibited (BV reporting limit is 5 mg/kg)	NT
HAZARDS			



**BUREAU
VERITAS**

BV Lab Number: (8514)169-0760(Revision)
 Technician Name: /
 Test Date: July 08, 2014
 Reviewed By/Date: /
 Page 13 of 17

Evaluation	Test Method	Requirement	Result
Mechanical hazards - toys	ASTM F963-11 section 4 modified	Shall meet the requirements specified in the standard	NT
Toys Regulations Mechanical Requirement	Toys Regulations SOR/2011-17 of Canada Consumer Product Safety Act (CCPSA)	Shall comply with the labeling and mechanical hazards requirements of Toys Regulations SOR/2011-17 of Canada Consumer Product Safety Act (CCPSA)	NT
16 CFR 1500 Dive stick	16 CFR 1500	Samples shall meet the safety requirements as specified in 16 CFR 1500	NT
FLAMMABILITY			
16 CFR 1500.44 Flammability (solids)	16 CFR 1500.44 / 16 CFR 1500.3(c)(6)(vi) / ASTM F963-11 section 4.2 Annex A5 modified	Shall not exceed the maximum allowable limit of no greater than 0.1 inches per second	NT
*16 CFR 1500.3(c)(6)(iii) Combustible liquids (for non-aerosol liquid filled product only)	16 CFR 1500.3(c)(6)(iii) / 16 CFR 1500.43(a)	Method of test for flashpoint of potentially volatile combustible materials (150 °F / 65.6 °C). All liquid filled items intended or likely to be used by children shall comply with this requirement.	NT
*Combustible liquids	Canada S.O.R./2001-269 Section 49(1) item 3	Method of test for flashpoint of potential volatile combustible materials (140 F / 60.0 C). All liquid filled items intended or likely to be used by children shall comply with this requirement.	NT
Toys Regulations Thermal and Flammability Hazards: Celluloid or Cellulose Nitrate	Section 21 Toys Regulations SOR/2011-17 of Canada Consumer Product Safety Act (CCPSA)	A toy, other than a ping-pong ball, must not be made of or impregnated with celluloid or cellulose nitrate	NT



BV Lab Number: (8514)169-0760(Revision)
 Technician Name: /
 Test Date: July 08, 2014
 Reviewed By/Date: /
 Page 14 of 17

Evaluation	Test Method	Requirement	Result
Dolls And Soft Toys			
* Toys Regulations Flammability of outer covering	Section 32 Toys Regulations SOR/2011-17 of Canada Consumer Product Safety Act (CCPSA)	Shall not reveal hazards associated with flammability on an outer covering consisting in whole or in part of a flat or raised fiber textile material or natural fur	NT
*Toys Regulations Flammability of yarn	Section 33 Toys Regulations SOR/2011-17 of Canada Consumer Product Safety Act (CCPSA)	Shall not reveal hazards associated with flammability on exposed surface consisting in whole or in part of a yarn of spun staple or bulked continuous filament form	NT
* Toys Regulations Flammability of hair or mane	Section 34 Toys Regulations SOR/2011-17 of Canada Consumer Product Safety Act (CCPSA)	Shall not reveal hazards associated with flammability on hair or mane, or simulated hair or simulated mane, consisting of material other than yarn	NT
Toxicological risk assessment (TRA) – Documentation review	16 CFR 1500.3	Products intended for use by children, including toys and parts of toys, must not be toxic (acute), a skin irritant, eye irritant, corrosive, or a strong sensitizer. Products that are not intended for use by children must be labeled appropriately if a toxicological hazard is present. Toxicological Risk Assessment shall be conducted to substantiate the compliance of the regulation for the following components: - All toy cosmetics, liquids, pastes, putties, gels and powders regardless of claim - Other materials bearing a "NON-TOXIC" claim on samples and/or its packaging	M
General Requirements (Toxicity & Irritancy) – (For Canadian marker – if applicable)	Canada consumer product safety, Toys Regulations, SOR/2011-17, section 25	Shall not allow access to toxic substances that may be ingested, inhaled, or absorbed through the skin OR the total quantity shall not exceed the specified limit; and shall not allow access to corrosive substances, irritants, or sensitizers that may come in contact with the skin OR shall not present the hazard as specified. Toxicity Risk Assessment shall be conducted for the following components: - All toy cosmetics, liquids, pastes, putties, gels and powders regardless of claim - Other materials bearing a "NON-TOXIC" claim on samples and/or its packaging	M
LABELING			
Tracking labels for children's products	Consumer Product Safety Improvement Act 2008	Permanent and distinguishing mark or code on the product and its packaging, to the extent practicable, allows the manufacturer and purchaser to ascertain the name of the manufacturer or private labeler, location and date of production of the product. Report as DATA only and include photo of tracking label in report.	DATA



BV Lab Number: (8514)169-0760(Revision)
 Technician Name: /
 Test Date: July 08, 2014
 Reviewed By/Date: /
 Page 15 of 17

Evaluation	Test Method	Requirement	Result
All New Material Label – polyfilled, quilted, padded or stuffed items, only	Provincial Regulations of Ontario, Manitoba, & Quebec for Stuffed & Upholstered Goods	Check for presence of all new material label containing registration number	NA
UPLR/FPLA/ Consumer packing and labeling act and regulations	NIST handbook 130 part IV A Section 3, 5 & 6 16 CFR 500.4 / 16 CFR 500.5 / 16 CFR 500/ Consumer packaging and labeling act and regulations C.R.C.,c.417 section 6	[Packaging and Labeling Evaluation] per Tween Brands specification <ul style="list-style-type: none"> Shall be labeled with product identification in English, if a picture or product cannot be seen Shall be labeled distributor’s name and address as follows: (Address does not need to be verified by the lab) Distr. by/par Tween Brands New Albany, OH 43054 Toronto, ON L6T 3R5 <ul style="list-style-type: none"> Net quantity of contents shall be present on the front of the package and be expressed in terms of weight or mass, measure, numerical count, or combination so as to give accurate information to facilitate consumer comparison (English and metric units). Rate As Data	DATA
Country of origin marking	Country of Origin 19 CFR 134.11 Marking of imported goods order, C.R.C., c. 535 Canada Customs Tariff, Marking of Imported Goods Regulations, SOR-94-10	[Packaging and Labeling Evaluation] per Tween Brands specification <ul style="list-style-type: none"> Shall be marked with the country of origin when imported into the U.S. in a conspicuous place to indicate to the ultimate purchaser in the U.S., the English name of the country of origin. All individually packaged items shall contain the country of origin All items shipped in bulk or displayed in bulk must contain the country of origin If at the point of sale, the packaging conceals the declaration on the product, then the packaging shall also be labeled with a declaration. The declaration shall consist of distributor’s name and address as follows: (Address does not need to be verified by the lab) Distr. by/par Tween Brands New Albany, OH 43054 Toronto, ON L6T 3R5 Made in <u>(English)</u> / Fabrique or Fab. en <u>(French)</u> . The minimum font type height shall be 1.6 mm as measured with reference to the lower case “o” English or French. Rate As Data	DATA
Instructions	Visual	[Packaging and Labeling Evaluation] Instructions shall be legible and easy to understand; instructions shall be consistent with sample performance	M
ANALYTICAL			



**BUREAU
VERITAS**

BV Lab Number: (8514)169-0760(Revision)
 Technician Name: /
 Test Date: July 08, 2014
 Reviewed By/Date: /
 Page 16 of 17

Evaluation	Test Method	Requirement	Result
*Total lead content in surface coatings	Consumer Product Safety Improvement Act of 2008 / 16 CFR 1303 / AOAC 974.01 (modified) / Cite 16 CFR 1500. - 1501	All accessible surface coatings, before and after use and abuse testing, shall not contain lead or lead components in which the lead content is in excess of 0.009% (90ppm) of the weight of the total content. <ul style="list-style-type: none"> • Component testing is not allowed. (Only finished product is allowed). • Composite testing is only allowed if there is still not enough to complete testing on individual colors, compositing is allowed for up to 3 colors. Based on CPSC SOP, will composite up to 3 colors. If any color in the composite exceeds 80% of the limit (72 ppm), based on the lowest weight component, individual colors will be analyzed.	M
*Total lead content in substrate materials	Consumer Product Safety Improvement Act of 2008 / EPA 3050B (modified) / EPA 3051 (modified)/ EPA 3052 (modified) / CPSC-CH-E1001-08 / CPSC-CH-E1002-08 Cite 16 CFR 1500. - 1501	All accessible substrates, before and after use and abuse testing, shall not contain lead in excess of 0.01% (100ppm) of the weight of the total content. <ul style="list-style-type: none"> • Component testing is not allowed. (Only finished product is allowed). • Compositing is not allowed 	M
BBP/DBP/DEHP Content (applies to accessory cases / bags; sporting goods)	CA Proposition 65 Accessory cases / bags: (CGC-10-497729 & CGC-10-498981) Sporting Goods: (CTV 091146) CPSC-CH-C1001.09.3	Accessible soft plastics, in the as received state, shall not contain concentrations of more than 1000mg/kg (ppm) BBP, DBP or DEHP individually.	NA
HAZARDS			
Sharp points and sharp edges	16 CFR 1500.48 / 16 CFR 1500.49 / Tween Brand's specification	Shall have no sharp points/edges, other than those required for function. As a client requirement, - use and abuse testing is not conducted.	M
Radio standards spec. (RSS) for R/C product - doc	RSS-210 or RSS-310	Intentional radiator shall meet the requirements of RSS-210 or RSS-310. In lieu of testing, test report can be submitted if dated within one year.	NA
Breakaway Features	EN71-1	All products with cords, straps or elastics intended, likely, or foreseeable to be hung around the neck of children and that admit the base of the head probe must have a breakaway feature. The breakaway feature shall open at the minimum force of not greater than 5.6lbs, and shall be capable of being reattached without altering the characteristics of the item.	NA



**BUREAU
VERITAS**

BV Lab Number: (8514)169-0760(Revision)
Technician Name: /
Test Date: July 08, 2014
Reviewed By/Date: /
Page 17 of 17

Evaluation	Test Method	Requirement	Result
FLAMMABILITY			
16 CFR 1500.44 Flammability (solids)	16 CFR 1500.44	Shall not exceed the maximum allowable limit of no greater than 0.1 inches per second	M
Flammability (container)	16 CFR 1500.3(c)(6)(viii)	Self-pressurized container shall meet the flammability requirements of 16 CFR 1500.3(c)(6)(viii).	NA